





OFFICIAL USE ONLY

Driveway/Right-Of-Way Permit Application

	Permit No.
	Date
roperty Owner(s) Name:	
treet Address:	
ity:State:Zip Code:_	Parcel ID
hone Numbers(s):E	-mail:
ontractor's Name	Phone Number
ompany Address City	State Zip
4 Hour Contact PersonE	Emergency Number
roject Location: ☐ Residential ☐ Commercial	☐ Industrial
N	
W E Side ofStreet, at No S	orteet
N	
W E from its intersection with	Street or Road
Type of Permit: (Please check all that apply)	Right-of-Way WidthFt.
Driveway Culvert/Frontage Tile: Length	Pipe Diameter
Type of Pipe	
Headwall Needed: Yes / No Catch Basin Needed	d: Yes / No
If Catch basin required, state location:	
Excavation in Right of Way: Road CutBore	TunnelingOther
Type of Pipe	
Opening: LengthWidthD	
Purpose:	
Driveway Installation/Resurface:	
Type of Pavement: AsphaltConcrete	Other

Will existing driveway culvert be disturbed?

☐ Yes

No

Note: The Public Service Department must be contacted at 937-233-1801 <u>48 hours prior</u> to placing concrete for pre-pour inspections of sidewalks, driveways and culvert installation. Applicant must be present to verify elevations with a City Representative.

Work will commence on or a	bout		and will require approx.	days.	
1. 2. 3. 4. 5. 6.	That the t street. Did That the cominimum minimized a) B S S S S S S S S S S S S S S S S S S	raffic will be maintained sturbance to traffic and idisturbance to the right-cand that trenches will be a life settlement does occurred to the rest shall consist of the equirements of ODOT Is within a zone of influence the back of the curackfill – Not requiring ill shall consist of gran 5% modified Proctor in the used as backfill. ackfill shall extend from the new surface will shall extend from the first policies, and the new surface will shall extend the first policies, and the first policies and the first policies, and the first policies are first policies, and the first policies and the first polic	with the City of Riverside that the at all times, unless permission is residents will be kept to a minimus f-way, in the berm area off of the backfilled with gravel and tampur, additional suitable material wackfill." Backfill of all excavean Density Fill (Flowable Fill.SM-100. Backfill shall be concence adjacent to the pavement b, or edge of pavement for unlean Density Fill: Backfill of a ular backfill meeting the requisix inch lifts, or may be Lean must the top of the bedding to the thetright-of-way at the trench will conform to grade of the undisturbing and night, during the time work and night, during the time work and specifications set forth by Rint will remain in force until a release tarted in Riverside's right-of-ward fee schedule and be submitted with the application. Per	s granted by the City of Rivum. e roadway, and roadway on the control of the cont	werside to close the will be kept at a the material will be ompacted. al and collector meeting the reet or a pavement at a 45 degree angle ring Lean Density 310, compacted to material shall not acc restoration. of the type that was the job for the es of the Ohio even by the City of ed to. the City of Riverside application.
10. 11.	That I (we personal \$300,000 responsit prosecution of "Right"	assume the responsibilinjuries and property dar .00/500,000.00 for persolility, I (we) have the folloon of this work. t-of-Way Construction	Policy #	Riverside harmless from an haminimum coverage of at reproperty damages. To conforce and will remain in formations.	t least over this orce during the
Notice of release of bond should					
Address				Pnone	
Signature of Applicant: Company			Date	9 :	

To Be Completed By City

Date application and fee received:		_Staff Initials:	Receipt #
Application is: ☐ APPROVED	☐ DENIED		
PS Operations Manager:		Date:	
Zoning Administrator:		Date:	
Pre-Work Signature:		Date:	